

## SUMMARY OF LABORATORY ACTIVITIES

	JAN 24	FEB 24	MAR 24	APR 24	MAY 24	JUNE 24	JULY 24	AUG 24	SEP 24	OCT 24	NOV 24	DEC 24	YTD 24	YTD 23	NOV 23
<b>NONCOMMUNITY</b>	3	15	38	28	8	61	31	40	23	9	40		296	295	31
<b>NEW WELL</b>	3	4	10	5	3	4	4	1	8	3	8		53	47	3
<b>INVESTIGATION REQUEST</b>	7	3	2	13	1	1	8	0	3	14	0		52	43	0
<b>WELL EVALUATION</b>	0	0	1	0	0	0	0	0	0	0	0		1	2	0
<b>HOMEOWNER</b>	15	20	19	56	25	46	47	49	39	29	28		373	379	19
<b>JOHN RABER &amp; ASSOC</b>	26	31	27	16	3	1	2	0	0	0	1		107	765	17
<b>TOTAL DW</b>	54	73	97	118	40	113	92	90	73	55	77	0	882	1531	70
<b>BEACH SATISFACTORY</b>	0	0	0	0	147	144	158	144	0	0	0		593	612	0
<b>BEACH UNSATISFACTORY</b>	0	0	0	0	17	44	60	12	0	0	0		133	142	0
<b>PRIVATE SURFACE SAMPLES</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>BOONE CREEK STUDY (nitrate, pH, conductivity &amp; chloride)</b>	0	0	0	0	0	0	13	0	0	0	0		13	14	0
<b>NITRATE SCREEN</b>	36	50	54	66	25	38	34	34	28	24	22		411	1064	30
<b>NITRITE SCREEN</b>	0	0	1	0	2	0	0	0	0	1	4		8	9	2
<b>RESIDUAL CHLORINE</b>	6	9	13	17	9	12	29	15	15	9	14		148	153	8
<b>CHLORIDE</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>pH</b>	0	0	0	0	0	0	0	0	0	0	0		0	1	0
<b>S CONDUCTIVITY</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>PRIVATE LAB SAMPLES</b>															
<b>NITRATE</b>	3	12	11	15	7	40	6	10	21	3	24		152	192	35
<b>NITRITE</b>	0	0	0	0	1	1	1	7	0	0	0		10	9	0
<b>BACTERIA*</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>AMMONIA</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>VOC</b>	0	0	0	0	0	0	0	0	0	0	0		0	0	0
<b>CHLORIDE</b>	0	0	0	0	0	1	0	0	0	0	0		1	0	0
<b>ARSENIC</b>	1	5	5	4	2	4	3	1	7	3	2		37	41	3

## SUMMARY OF LABORATORY ACTIVITIES

	JAN 24	FEB 24	MAR 24	APR 24	MAY 24	JUNE 24	JULY 24	AUG 24	SEP 24	OCT 24	NOV 24	DEC 24	YTD 24	YTD 23	DEC 23
<b>NONCOMMUNITY</b>	3	15	38	28	8	61	31	40	23	9	40	71	367	333	38
<b>NEW WELL</b>	3	4	10	5	3	4	4	1	8	3	8	5	58	51	4
<b>INVESTIGATION REQUEST</b>	7	3	2	13	1	1	8	0	3	14	0	9	61	45	2
<b>WELL EVALUATION</b>	0	0	1	0	0	0	0	0	0	0	0	0	1	2	0
<b>HOMEOWNER</b>	15	20	19	56	25	46	47	49	39	29	28	19	392	403	24
<b>JOHN RABER &amp; ASSOC</b>	26	31	27	16	3	1	2	0	0	0	1	0	107	790	25
<b>TOTAL DW</b>	54	73	97	118	40	113	92	90	73	55	77	104	986	1624	93
<b>BEACH SATISFACTORY</b>	0	0	0	0	147	144	158	144	0	0	0	0	593	612	0
<b>BEACH UNSATISFACTORY</b>	0	0	0	0	17	44	60	12	0	0	0	0	133	142	0
<b>PRIVATE SURFACE SAMPLES</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>BOONE CREEK STUDY (nitrate, pH, conductivity &amp; chloride)</b>	0	0	0	0	0	0	13	0	0	0	0	0	13	14	0
<b>NITRATE SCREEN</b>	36	50	54	66	25	38	34	34	28	24	22	16	427	1106	42
<b>NITRITE SCREEN</b>	0	0	1	0	2	0	0	0	0	1	4	0	8	11	2
<b>RESIDUAL CHLORINE</b>	6	9	13	17	9	12	29	15	15	9	14	18	166	163	10
<b>CHLORIDE</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>pH</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<b>S CONDUCTIVITY</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>PRIVATE LAB SAMPLES</b>															
<b>NITRATE</b>	3	12	11	15	7	40	6	10	21	3	24	57	209	232	40
<b>NITRITE</b>	0	0	0	0	1	1	1	7	0	0	0	0	10	9	0
<b>BACTERIA*</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>AMMONIA</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>VOC</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>CHLORIDE</b>	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0
<b>ARSENIC</b>	1	5	5	4	2	4	3	1	7	3	2	2	39	45	4